#### <u>Global Seafood Alliance Logo</u>

- GOAL Events
- <u>Advocate Magazine</u>
- Aquademia Podcast
- <u>Blog</u>
- <u>Contact</u>
- 0
- f
- 🗙
- in
- 🕨
- <u>Log In</u>
- - <u>About</u>
    - Who We Are
    - <u>Our History</u>
    - <u>Our Team</u>
    - Sustainable Development Goals
    - <u>Careers</u>
  - <u>Membership</u>
    - <u>Overview</u>
    - <u>Our Members</u>
    - Corporate Membership
  - <u>Resources</u>
  - <u>Certification</u>
    - Best Aquaculture Practices
    - Best Seafood Practices

Search...

Q

<u>Log In</u>

- <u>About</u>
  - Who We Are
  - <u>Our History</u>
  - Our Team
  - <u>Sustainable Development Goals</u>
  - <u>Careers</u>
- <u>Membership</u>
  - <u>Overview</u>
  - Our Members
  - Corporate Membership
- <u>Resources</u>
- <u>Certification</u>
  - Best Aquaculture Practices
  - Best Seafood Practices
- GOAL Events
- <u>Advocate Magazine</u>

- <u>Aquademia Podcast</u>
- <u>Blog</u>
- <u>Contact</u>



Health & Welfare Health & Welfare

# Brown muscle syndrome in shrimp

Responsible Seafood Advocate logo 1 February 2003 Tim Flegel, Ph.D.

# Letter: Condition presents no danger to consumers

The following was adapted from a recent letter by the author in reply to an earlier message by Masao Shimomura, executive managing director of the Japan Fish Traders Association. Shimomura had requested assistance in identifying discoloration in shrimp tissue. The information is reprinted here with their kind permission.



Although unattractive, spots caused by IMN do not pose a health risk.

The pictures sent to me appear to show shrimp affected by idiopathic muscle necrosis or IMN. This has also been called "brown muscle syndrome." I have observed it on rare occasions in black tiger prawns in Thailand, but it has also been described in other penaeid shrimp and the freshwater prawn (*Macrobrachium rosenbergii*).

Usually, the affected shrimp represent a small portion of the total harvest. When examined under a light microscope, the muscle tissue is degraded and large numbers of shrimp blood cells (hemocytes) can be seen aggregating in the area. These hemocytes release enzymes that result in the formation of the brown pigment melanin, which is what causes the brown discoloration.

# No health risk

This is a normal shrimp defense function that presents no human health danger, even though it is unsightly. In addition, it will become black on cooking and although more unsightly, it is still harmless if eaten. The situation might be likened to the brown discoloration that occurs in a bruise or on an apple after it has been cut with a knife and left exposed to the air. In other words, it indicates injured, but not rotten tissue.

In spite of the tissue damage, no bacteria, fungi, or parasites have been seen associated with the muscle degradation. It has been suggested the phenomenon might be caused by excessive stress leading to the accumulation of lactic acid (a product of muscle metabolism) to such an extent that the tissue is damaged. This is followed by the arrival of large numbers of hemocytes to clean up the damaged tissue, which causes the brown coloration.

In one of our investigations with the electron microscope, we did find what appeared to be spherical viral particles in the cytoplasm of some cells in the area of IMN, but no further work was done on this. The significance of these particles remains unknown. With *M. rosenbergii*, the problem appeared to be associated with stress related to overcrowding, and the problem was solved by reducing the stocking density.

# Limited problem

It is hard to say what caused the problem in the shrimp. However, the extent of the phenomenon can be seen at harvest, and shrimp exporters in Thailand usually inspect samples of cultivated shrimp to determine whether significant numbers show brown muscle discoloration before agreeing on the purchase price.

This brown muscle phenomenon is not a cause for alarm to importers, as long as the number of such shrimp represents an insignificant part of the total volume imported. The affected shrimp can simply be removed and discarded because they are unsightly. They present no danger to other shrimp in the group or consumers.

(*Editor's Note: This article was originally published in the February 2003 print edition of the* Global Aquaculture Advocate.)

# Now that you've finished reading the article ...

... we hope you'll consider supporting our mission to document the evolution of the global aquaculture industry and share our vast network of contributors' expansive knowledge every week.

By becoming a Global Seafood Alliance member, you're ensuring that all of the pre-competitive work we do through member benefits, resources and events can continue. Individual membership costs just \$50 a year.

# Not a GSA member? Join us.

Support GSA and Become a Member

## Author

• 📝 Tim Flegel, Ph.D.

Tim Flegel, Ph.D.

Centex Shrimp Chalerm Prakiat Building Faculty of Science Mahidol University Rama 6 Road Bangkok 10400, Thailand

 $[104,\!116,\!46,\!99,\!97,\!46,\!108,\!111,\!100,\!105,\!104,\!97,\!109,\!64,\!102,\!119,\!116,\!99,\!115]$ 

## Share

- <u>Share via Email</u>
- **Share on Twitter**
- **f** Share on Facebook
- in <u>Share on LinkedIn</u>

## **Tagged With**

Tim Flegel Brown muscle syndrome

## **Related Posts**

Health & Welfare

# **Common diseases of pangasius catfish farmed in Vietnam**

As with other species, varied health problems – and treatments – related to parasites and bacteria have been encountered in pangasius catfish.

Health & Welfare

# The microsporidium <i>Perezia</i> sp. and cotton shrimp disease

Study analyzes samples of microsporidia-infected shrimp in Madagascar, Mozambique and Saudi Arabia and with clinical signs of cotton shrimp disease.

Health & Welfare

# A case for better shrimp nutrition

Shrimp farm performance can often be below realistic production standards. Use proven nutrition, feeds and feeding techniques to improve profitability.

Health & Welfare

# <u>A comprehensive look at the Proficiency Test for farmed shrimp</u>


The University of Arizona Aquaculture Pathology Laboratory has carried out the Proficiency Test (PT) since 2005, with 300-plus diagnostic laboratories participating while improving their capabilities in the diagnosis of several

shrimp pathogens.

## **About The Advocate**

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

## Learn More



# Listen to the seafood industry's top podcast

## **Advertising Opportunities**

2022 Media & Events Kit

## Categories

Aquafeeds > Health & Welfare Health & Welfare > From Our Sponsors > Innovation & Investment > Intelligence > Responsibility > Fisheries > Artículos en Español >

Don't Miss an Article

Featured

Brown muscle syndrome in shrimp - Responsible Seafood Advocate

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Uncategorized <u>A seat at the table: Fed By Blue team says aquaculture needs a stronger voice</u>
- <u>Responsibility Quantifying habitat provisioning at macroalgae cultivation locations</u>

## **Popular Tags**

All Tags 🔹 🗸

## Recent

- Fisheries Second Test: Another filler for the fisheries category
- <u>Fisheries Test: This is filler for the fisheries Category</u>
- Aquafeeds Test Article
- <u>Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean</u> <u>temperature warms</u>
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool





# Listen to the seafood industry's top podcast

- <u>About</u>
- <u>Membership</u>
- <u>Resources</u>

- Best Aquaculture Practices (BAP)
- Best Seafood Practices (BSP)
- GOAL Events
- Advocate Magazine
- <u>Aquademia Podcast</u>
- <u>Blog</u>
- <u>Contact</u>

# Stay up to date with GSA

- Ø
- **f**
- 🗙
- in
- 🕨

Copyright © 2024 Global Seafood Alliance All rights reserved. <u>Privacy</u> <u>Terms of Use</u> <u>Glossary</u>