Global Seafood Alliance Logo

- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- Blog
- Contact
- 0
- . 4
- X
- in
- 🔼
- <u>Log In</u>

- About
 - o Who We Are
 - Our History
 - Our Team
 - Sustainable Development Goals
 - <u>Careers</u>
- <u>Membership</u>
 - o <u>Overview</u>
 - Our Members
 - Corporate Membership
- Resources
- Certification
 - Best Aquaculture Practices
 - Best Seafood Practices

Search...



Log In

- About
 - o Who We Are
 - Our History
 - o Our Team
 - Sustainable Development Goals
 - Careers
- Membership
 - o <u>Overview</u>
 - Our Members
 - o Corporate Membership
- Resources
- Certification
 - Best Aquaculture Practices
 - Best Seafood Practices
- GOAL Events
- Advocate Magazine

- Aquademia Podcast
- Blog
- Contact



Commercial tilapia production in Panama

Responsible Seafood Advocate logo

1 December 2001 Hugo Pérez Athanasiadis



Several farms produce in floating cages and earthen ponds, with processing and exporting to the United States



Floating cage culture is expanding in Panama, with programs designed for smaller dams and reservoirs.

When extensive tilapia culture in Panama started in the 1970s, it was integrated with and dependent on other agriculture and livestock production activities. In the early 1990s, some farmers began developing commercial semi-intensive and intensive operations to produce tilapia in floating cages and earthen ponds, using both pelleted and extruded feeds. Two species are currently produced: tilapia nilotica (*Oreochromis niloticus*) for filleting and export to the United States, and red tilapia (*Oreochromis sp.*) mostly for the local, whole fish market.

Floating cage culture

Two projects, both located in Lake Gatún, utilize floating cage technology. One project currently has 14, 40- m3 cages and an annual production capacity of around 200,000 lbs (91 metric tons (MT)), with plans to double or triple its production in the near future.

The other project is a pilot operation sponsored by the local Chinese Technical Mission and the Ministry of Agriculture and Livestock Development (Ministerio de Desarrollo Agropecuario). It has 24 cages and annual production capacity of 300,000 lbs (136 MT). Other trials are under way with floating cages of less than 6 m3, to try to expand cage culture to smaller dams and reservoirs.

Two phases

The production cycle has two phases; one is a nursery and the other a final grow-out to market size. Depending on desired fish size, the cycle lasts seven to 14 months. Population sampling is usually done on a monthly basis. Water quality is monitored throughout the cycle, along with a cage cleaning and maintenance program.

Feeding and production

Commercial meal is used to feed animals up to 30 grams, with 3/16-in floating feeds applied to 300 grams, and 5/16- in feed to harvest. Market size varies 450 to 900 grams, depending on whether animals are to be sold whole or filleted and exported fresh to the U.S.

Pond culture



Tilapia nilotica are filleted and exported to the United States.

In 1999, the new Costa Sol Comercial S.A. farm began operations. The farm has 30 ha of ponds (1,000 and 2,000 m2), and a four-phase production system that involves reproduction, nursery, grow-out I and grow-out II.

The nursery phase stocks at 15 fingerlings per square meter (mean weight 1 gram). Fish are culled and moved to grow-out I at 100 grams and a density of 8 fish per square meter. At 250 grams, they are moved to the grow-out II phase and grown at a density of 6 animals per square meter to a market size of 900 to 1,000 grams. This farm uses several commercial feeds, including meals, granules, and floating pellets.

Currently, one of the shrimp farms (Acuícola Las Huabas) that had been converted to tilapia production in 1999 due to White Spot Syndome Virus problems is going back to shrimp production. While in tilapia production, this farm had 100 ha of ponds under semi-intensive, two-phase production of tilapia nilotica. Its nursery system used

1.5-ha ponds, stocked monthly with 250,000 1-gram fingerlings. Upon reaching a mean weight of 150 grams, fish were transferred to 8 to 10 ha grow-out ponds, stocked at 1 fish per square meter and grown to 900 to 1,000 grams in about one year.

Marketing

Various farms producing in ponds process their fish as fresh fillets for export to the U.S. Currently, 35,000 lbs (15.9 mt) are being processed and exported, with deep-skinning fillet yields of 30-31 percent, and size classifications of 3-5, 5-7, and 7-9 oz (85-140 g, 140-200 g, and 200-255 g). Other smaller farms that produce tilapia in earthen ponds sell their fish at an average harvest weight of 450 g on the local market.

Exports

In 2000, Panama exported 159,282 kg of fresh tilapia fillets and 1,814 kg of whole frozen tilapia, worth over U.S. \$1 million. During January and February of 2001, exports included 72,224 kg of fresh fillets and 2,379 kg whole frozen tilapia, worth U.S. \$464,187, the American Tilapia Association reported. Production from the Costa Sol Comercial farm and the two floating cage projects is processed and exported to the U.S. by Basilio Export and Import.

Conclusion

Commercial tilapia farming is a relatively new industry in Panama, but there are now several farms that produce in floating cages and earthen ponds, with processing and exporting to the United States. The excellent environmental conditions and abundant water resources of the country indicate the industry could significantly expand in the future.

(Editor's Note: This article was originally published in the December 2001 print edition of the Global Aquaculture Advocate.)

Now that you've finished reading the article ...

... we hope you'll consider supporting our mission to document the evolution of the global aquaculture industry and share our vast network of contributors' expansive knowledge every week.

By becoming a Global Seafood Alliance member, you're ensuring that all of the pre-competitive work we do through member benefits, resources and events can continue. Individual membership costs just \$50 a year.

Not a GSA member? Join us.

Support GSA and Become a Member

Author

• Hugo Pérez Athanasiadis

Hugo Pérez Athanasiadis

Aquaculture Technical Advisor NASA-Zeigler Panama

[116,101,110,46,111,102,110,105,115,64,97,104,116,97,112,97,104]

Share

- Share via Email
- **Y** Share on Twitter
- **f** Share on Facebook
- in Share on LinkedIn

Tagged With

Hugo Pérez Athanasiadis Commercial tilapia production

Related Posts

Health & Welfare

Cobia hatchery-to-market technology at UMEH

Cobia is a top emerging candidate for tropical and subtropical marine fish aquaculture. The University of Miami Experimental Hatchery has led ongoing research to advance the viability of raising hatchery-reared cobia.

Health & Welfare

<u>Integrated spotted red snapper aquaculture in Central America</u>

The technology for closing the life cycle of spotted red snappers has progressed due to efforts of government and private-sector researchers.

Intelligence

Paradigm shifts in shrimp farming

In the evolution of shrimp farming, white shrimp emerged as the primary species. While some farms in the Americas successfully converted to intensive practices, wide adoption has been limited.

Health & Welfare

Zero-exchange demonstration posts good results in Nicaragua

The Nicaragua Small Shrimp Producer Assistance Program built a closed, zero water-exchange shrimp production system to demonstrate the concepts and practices.

About The Advocate

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

Learn More

Search Responsible Seafood Advocate Search Search



Advertising Opportunities

2022 Media & Events Kit

Categories

Aquafeeds Health & Welfare From Our Sponsors Innovation & Investment Intelligence Intelligence Nesponsibility Fisheries Artículos en Español

Don't Miss an Article

Featured

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Intelligence A seat at the table: Fed By Blue team says aquaculture needs a stronger voice
- Responsibility Quantifying habitat provisioning at macroalgae cultivation locations

Popular Tags

All Tags ✓

Recent

- Fisheries Second Test: Another filler for the fisheries category
- Fisheries Test: This is filler for the fisheries Category
- Aguafeeds Test Article
- Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean temperature warms
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool



- About
- Membership
- Resources
- Best Aquaculture Practices (BAP)
- Best Seafood Practices (BSP)
- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- Blog
- Contact

Stay up to date with GSA

- 🤄
- . 7
- 🔉
- 🔼

Copyright © 2024 Global Seafood Alliance All rights reserved.

Privacy Terms of Use Glossary