#### Global Seafood Alliance Logo

- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- <u>Blog</u>
- Contact
- 0
- X
- in
- Log In

- About
  - Who We Are
  - Our History
  - o <u>Our Team</u>
  - Sustainable Development Goals
  - Careers
- **Membership** 
  - o <u>Overview</u>
  - Our Members
  - Corporate Membership
- Resources
- Certification
  - Best Aquaculture Practices
  - Best Seafood Practices

Search...

Q

## Log In

- About
  - Who We Are
  - o Our History
  - o Our Team
  - Sustainable Development Goals
  - Careers
- Membership
  - o <u>Overview</u>
  - o Our Members
  - Corporate Membership
- Resources
- Certification
  - Best Aquaculture Practices
  - Best Seafood Practices
- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- **Blog**
- Contact



Innovation & Investment Innovation & Investment

# Constant flow technology: Useful automation for aquaculture

Responsible Seafood Advocate logo

2 September 2014 Thomas Losordo, Ph.D. Zack Pickard



## Confidence in constant flow rate under varying conditions a huge benefit to aquaculture



Programmable variable-speed pumps can provide a constant flow to an aquaculture system even when pressures vary within the system. "Backpack" controller systems can display motor speed or pumping flow rate.

It's difficult to sound non-biased in covering new aquaculture technology when it was invented by the company for which you work. However, as a participant in aquaculture research and development for the past 40 years, I have been in a good position to see important new and different technology emerge and be adopted by the industry. Risking the wrath of my colleagues, this column provides a look at a technology I feel holds tremendous promise for various segments of our industry.

## Variable speed technology

Variable-speed pumps have been available since the invention and mass production of variable-frequency drives for electric motors. Variable-speed pumps can be set at a prespecified speed to deliver the amount of water needed within a system or process at the time they are set. A variable-frequency drive (VFD) is generally wall mounted near the electric motor to control and hold the motor at a specific speed.

When used with a pump, a VFD can provide energy-efficient flow from a pump at varied flow rates. Controlling the speed of the pump motor is more efficient than restricting the pump's flow with a valve on the outflow side of the pump, where "artificial" head is produced to reduce the flow rate.

By minimizing the required pump speed, significant savings can be achieved in a pumping system – especially when pumps are in continuous service, as they are in many aquaculture applications. In fact, reducing a pump's motor speed by 10 percent can reduce the energy consumed by the pump motor by 33 percent. However, variable-speed pumps cannot maintain constant flow when conditions in the system "upstream" of the pump change, such as a filter becoming clogged or a valve setting being changed.







Media filters such as this air-washed bead filter are perfect applications for the use of constant-flow pumps.

## **Constant flow**

Fig. 1: Pressurized packed column oxygenators can be combined with constant flow pumps and programmable controls to provide efficient oxygen addition to a wide variety of aquaculture systems.

Have you ever wanted to operate a system at a constant flow rate when the system head downstream of the pump changes over time? For example, when a media filter clogs with waste solids from an aquaculture operation, the pressure builds, and the flow is reduced. In many cases, the operator will either need to constantly change the speed of the pump or run the system at a flow rate higher than needed between backwashes to maintain the predetermined minimum flow rate through the filter.

Operating the system in this manner between backwash cycles wastes energy and leads to significantly higher energy costs. This has been a major problem for the swimming pool industry for years. Pool operators would often oversize pumps to meet the flow demand caused by clogged swimming pool sand filters.

To address this problem, Pentair introduced a variable-speed 3-hp centrifugal pump fitted with a small "backpack" VFD. The operator could program the backpack drive to maintain a set flow rate regardless of the system operating conditions upstream.

# Constant flow applied to aquaculture

Leveraging the success of this work in the pool industry, Pentair expanded its Constant Flow Technology<sup>TM</sup> line with an aquaculture-specific pump incorporating the same foundational technology. The new Sparus<sup>TM</sup> pump is equipped with stainless steel inserts within an otherwise all corrosionresistant pump. Designed to operate with motor speeds from 1,100 to 3,450 rpm, the pump can be set at any flow from 75 to 530 Lpm.

The integrated drive on this pump has an aquaculture-specific set of menus and features to address the needs of the industry's unique applications. The pump can be programmed to turn on and off or run at various speeds at various times throughout the day. The drive also has an integrated RS-485 port that allows serial communication with the programmable logic controllers (PLCs) commonly found in aquaculture facilities and aquaculture-monitoring systems. However, being able to have the confidence that a system will flow at a constant rate under conditions that change is what provides the most useful benefit to aquaculturists.

Media filters such as air-washed bead filters are excellent applications for the use of Constant Flow Technology<sup>TM</sup>. As the filter clogs with waste, the pump speeds up to maintain a constant flow rate through the filter.

Components that add oxygen to the water of fish culture systems can also benefit from constant flow control. Depending on their sizes and configurations, these systems have optimized oxygen gas flow and water flow rates at specific pressures.

An example of one configuration is the pressurized packed column shown in Fig. 1. A pump with Constant Flow Technology™ and a solenoid gas control valve can be controlled by a PLC with real-time oxygen measurement to provide near-optimum performance, all the while maintaining the minimum flow rates required for the process.

(Editor's Note: This article was originally published in the September/October 2014 print edition of the Global Aquaculture Advocate.

#### **Authors**



Thomas Losordo, Ph.D.

Principal Scientist and Chief Engineer Aquaculture Systems Engineering Pentair Aquatic Eco-Systems, Inc. 1791 Varsity Drive, Suite 140 Raleigh, North Carolina 27606 USA

[109,111,99,46,114,105,97,116,110,101,112,64,111,100,114,111,115,111,108,46,109,111,116]

Zack Pickard

Zack Pickard

Product Manager Pentair Aquatic Eco-Systems, Inc. 1791 Varsity Drive, Suite 140 Raleigh, North Carolina 27606 USA

#### Share

- Share via Email
- **Y** Share on Twitter
- f Share on Facebook
- in Share on LinkedIn

#### Tagged With

Pentair Thomas Losordo Zack Pickard Constant Flow Technology™ pump automation Variable-speed pumps

#### **Related Posts**

Health & Welfare

## Fish producers benefit from humane slaughter techniques

EU legislation requires farmed fish be spared unnecessary pain, distress or suffering at slaughter, and efficient manual and automated systems have been developed to help achieve this goal. What's more, longer shelf life and improved flesh quality have been reported.

Health & Welfare

## Aquamimicry: A revolutionary concept for shrimp farming

Aquamimicry simulates natural, estuarine production conditions by creating zooplankton blooms as supplemental nutrition to the cultured shrimp, and beneficial bacteria to maintain water quality. Better-quality shrimp can be produced at lower cost and in a more sustainable manner.

Intelligence

## City fish-farm prototype set to prove itself in Minnesota

The Urban Organics model of farming leafy greens in conjunction with fish can work in any city environment, the company says. The first step is destroying East St. Paul's image as a food desert.

Innovation & Investment

## **Getting proficient in RAS fundamentals**

A number of large salmon farming companies are now investing significantly to increase land-based, water recirculating aquaculture systems (RAS) in northern Europe and North America, and there is likely a need for more trained farm personnel to run and manage these and other close-containment aquaculture facilities.

#### **About The Advocate**

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

Search Q

### Learn More



## **Advertising Opportunities**

2022 Media & Events Kit

#### Categories

Aquafeeds > Health & Welfare > From Our Sponsors > Innovation & Investment Innovation & Investment > Intelligence > Responsibility > Fisheries > Artículos en Español >

#### Don't Miss an Article

#### **Featured**

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Intelligence A seat at the table: Fed By Blue team says aquaculture needs a stronger voice
- Responsibility Quantifying habitat provisioning at macroalgae cultivation locations

## **Popular Tags**



## Recent

- Fisheries Second Test: Another filler for the fisheries category
- Fisheries Test: This is filler for the fisheries Category
- Aquafeeds Test Article
- Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean temperature warms
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool



- **Membership**
- Resources
- Best Aquaculture Practices (BAP)
- Best Seafood Practices (BSP)
- **GOAL Events**
- **Advocate Magazine**
- Aquademia Podcast
- Blog
- Contact

### Stay up to date with GSA

Copyright © 2024 Global Seafood Alliance All rights reserved.

<u>Privacy</u> Terms of Use Glossary