4/21/2024

Global Seafood Alliance Logo

- GOAL Events
- Advocate Magazine
- <u>Aquademia Podcast</u>
- <u>Blog</u>
- <u>Contact</u>
- _____
- 🗿
- **f**
- 🗙
- in
- 🕨
- <u>Log In</u>

- <u>About</u>
 - Who We Are
 - <u>Our History</u>
 - <u>Our Team</u>
 - Sustainable Development Goals
 - <u>Careers</u>
 - <u>Membership</u>
 - <u>Overview</u>
 - Our Members
 - <u>Corporate Membership</u>
- <u>Resources</u>
- Certification
 - Best Aquaculture Practices
 - Best Seafood Practices

Search...

<u>Log In</u>

- <u>About</u>
 - Who We Are
 - <u>Our History</u>
 - <u>Our Team</u>
 - Sustainable Development Goals
 - <u>Careers</u>
- <u>Membership</u>
 - Overview
 - Our Members
 - Corporate Membership
- <u>Resources</u>
- <u>Certification</u>
 - Best Aquaculture Practices
 - Best Seafood Practices
- GOAL Events
- Advocate Magazine
- <u>Aquademia Podcast</u>
- <u>Blog</u>
- Contact



Density control of extruded marine fish feeds

Responsible Seafood Advocate logo



Tools can help manufacturers control product density based on desired product characteristics

Aquaculture of an ever-increasing variety of aquatic species requires flexible feed manufacturing processes. Aquatic feeds can be broadly categorized based on their total fat content requirements as:

- low-fat diets (less than 12 percent fat)
- medium-fat diets (12 to 24 percent fat)
- high-fat diets (greater than 24 percent fat).

The diets in each category require different expansion ratios (bulk densities) to achieve the desired level of fat absorption and the desired floating/sinking characteristics.

Controlling feed density

Several process tools are available to control the feed density of extruded marine fish feeds, including:

- internal/external fat levels
- specific mechanical and thermal energy inputs
- extrusion moisture
- vented extruder barrel (with or without vacuum assist)
- extruder die value
- separate cooking and forming extruders.

Internal/external fat levels



One way to produce dense, well-cooked feeds is to use separate extruders for cooking and forming.

Nutritional requirements dictate the levels of fat required in aquatic feeds. The total levels can vary from 3 to 40 percent in diets. As the fat level increases, there is an expected increase in bulk density of the feed. For example, a diet containing 60 percent fishmeal, 24 percent soybean and 16 percent wheat grain was extruded at six internal fat levels. The internal fat level was adjusted by continuously injecting fish oil into the preconditioning phase of extrusion system at 0, 0.9, 1.8, 3.6, 7.2 and 14.4 percent levels. As the internal fat addition increased from 0 to 14.4 percent, bulk density of the extruded product increased and external fat absorption decreased (Fig. 1).



Fig. 1: Effect of added internal fat and bulk density on external fat absorption.

Specific mechanical, thermal energy inputs

Energy management is essential in controlling bulk density of extruded marine diets. A correlation exists between an extruder's specific mechanical energy inputs and the bulk density of uncoated diet. As these energy inputs are increased, density will generally decrease.

Extrusion moisture

Extrusion moisture is an important process variable for controlling final product characteristics, including bulk density. Extruded product bulk density first decreases and then increases as extrusion moisture decreases. (Fig. 2).



Fig. 2: Effect of extrusion moisture on bulk density.

Vented extruder barrel

Extruder barrels can be configured to include an atmospheric vent to permit reduction in extrusion pressures to cool and densify the extrudate. Extruded feeds can be further densified by coupling a vacuum system to the vented barrel (Table 1). Vacuum levels of up to 50 kPa (15 inches of mercury) are employed to assist densification.

Rokey, Effect of vacuum-assisted extruder venting on pellet density, Table 1

Pellet Size (mm)	Piece Density (g/ml) Without Vacuum	Piece Density (g/ml) With Vacuum
6	0.87	1.23
20	0.92	1.14
25	1.12	1.19

Table 1. Effect of vacuum-assisted extruder venting on pellet density.

Extruder die valve

Extrusion pressure can be varied by adjusting the opening size of die flow-control valves. As the die valve open area is increased, extrusion pressures decrease and final product densities increase (Fig. 3).

Fig. 3: Effect of die valve open area on extrusion pressure and bulk density.

Individual cooking, forming extruders

Very high density aquatic feeds can be manufactured by processing diets through a cooking extruder followed by a separate forming extruder. This processing method requires extensive equipment installation, but the separate, secondary forming extruder cools and densifies the feed to a high degree (Table 2).

Rokey, Effectiveness of densification tools, Table 2

Process Tool	Product Density Range (g)
Vented Barrel	480-600
Vented Barrel With Vacuum Assist	480-720
Cooking Extruder/Forming Extruder	560-720
Table 2. Effectiveness of densification	on tools.

Conclusion

Various process tools are available to the manufacturers of marine fish feeds to control product density. The choice of which tool(s) to use depends upon the density required to achieve the desired product characteristics (floating/-sinking, fat absorption, pellet durability and others).

(Editor's Note: This article was originally published in the October 2001 print edition of the Global Aquaculture Advocate.)

Now that you've finished reading the article ...

... we hope you'll consider supporting our mission to document the evolution of the global aquaculture industry and share our vast network of contributors' expansive knowledge every week.

By becoming a Global Seafood Alliance member, you're ensuring that all of the pre-competitive work we do through member benefits, resources and events can continue. Individual membership costs just \$50 a year.

Not a GSA member? Join us.

Support GSA and Become a Member

Author

• 🗾 Galen Rokey

Galen Rokey

Wenger Manufacturing Co. 714 Main Street Sabetha, Kansas 66534-0130 USA

[109, 111, 99, 46, 114, 101, 103, 110, 101, 119, 64, 121, 101, 107, 111, 114, 103]

Share

- <u>Share via Email</u>
- Share on Twitter
- Share on Facebook
- in <u>Share on LinkedIn</u>

Tagged With

extrusion Galen Rokey marine fish feeds

Related Posts

Responsibility

A helping hand to lend: UK aquaculture seeks to broaden its horizons

Aquaculture is an essential contributor to the world food security challenge, and every stakeholder has a role to play in the sector's evolution, delegates were told at the recent Aquaculture's Global Outlook: Embracing Internationality seminar in Edinburgh, Scotland.

Health & Welfare

A holistic management approach to EMS

Early Mortality Syndrome has devastated farmed shrimp in Asia and Latin America. With better understanding of the pathogen and the development and improvement of novel strategies, shrimp farmers are now able to better manage the disease.

Aquafeeds

A look at India's fish feed industry

India's fish-farming industry makes limited use of modern feeds, providing potential for the feed sector to grow. Commercial feeds are predominantly used for pangasius farming, followed by a rising popularity in carp culture.

Aquafeeds

<u>A look at phospholipids in aquafeeds</u>

Phospholipids are the major constituents of cell membranes and are vital to the normal function of every cell and organ. The inclusion of phospholipids in aquafeeds ensures increased growth, better survival and stress resistance, and prevention of skeletal deformities of larval and juvenile stages of fish and shellfish species.

About The Advocate

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

Learn More

Search Responsible Search Search Search





Listen to the seafood industry's top podcast

Advertising Opportunities

2022 Media & Events Kit

Categories

Aquafeeds Aquafeeds Action Act

Don't Miss an Article

Featured

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Intelligence A seat at the table: Fed By Blue team says aquaculture needs a stronger voice
- Responsibility Quantifying habitat provisioning at macroalgae cultivation locations

Popular Tags

All Tags 🗸

Recent

- Fisheries Second Test: Another filler for the fisheries category
- Fisheries Test: This is filler for the fisheries Category
- <u>Aquafeeds Test Article</u>
- Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean temperature warms
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool





Listen to the seafood industry's top podcast

- <u>About</u>
- <u>Membership</u>
- <u>Resources</u>
- Best Aquaculture Practices (BAP)
- Best Seafood Practices (BSP)
- GOAL Events
- <u>Advocate Magazine</u>
- <u>Aquademia Podcast</u>
- <u>Blog</u>
- <u>Contact</u>

Stay up to date with GSA

- 🞯
- f
- X
- in • 🖸
- •

Copyright © 2024 Global Seafood Alliance All rights reserved. <u>Privacy</u> <u>Terms of Use</u> <u>Glossary</u>