Global Seafood Alliance Logo

- GOAL Events
- <u>Advocate Magazine</u>
- <u>Aquademia Podcast</u>
- <u>Blog</u>
- <u>Contact</u>
- 0
- f
- 🗙
- in
- 🕨
- <u>Log In</u>
- $\square$ 
  - <u>About</u>
    - <u>Who We Are</u>
    - <u>Our History</u>
    - <u>Our Team</u>
    - Sustainable Development Goals
    - <u>Careers</u>
  - <u>Membership</u>
    - <u>Overview</u>
    - <u>Our Members</u>
    - Corporate Membership
  - <u>Resources</u>
  - <u>Certification</u>
    - Best Aquaculture Practices
    - Best Seafood Practices

Search...

Q

- <u>Log In</u>
  - <u>About</u>
    - Who We Are
    - <u>Our History</u>
    - Our Team
    - Sustainable Development Goals
    - <u>Careers</u>
  - <u>Membership</u>
    - <u>Overview</u>
    - Our Members
    - Corporate Membership
  - <u>Resources</u>
  - <u>Certification</u>
    - <u>Best Aquaculture Practices</u>
    - Best Seafood Practices
  - GOAL Events
  - <u>Advocate Magazine</u>

- <u>Aquademia Podcast</u>
- <u>Blog</u>
- Contact



Health & Welfare Health & Welfare

# Iodinated feed reduces stress in steelhead trout

Responsible Seafood Advocate logo 1 April 2003 Ahmed Mustafa, Ph.D.

# Supplemented iodine increases the production of thyroid hormones in fish



Collecting blood from one of the experimental steelhead trout.

Several reports have indicated a correlation in salmonids between thyroid functions and the physiological aspects of smoltification, which prepares juvenile fish for the transition from freshwater to seawater environments. Fish with higher levels of thyroid hormones have better development and growth.

Hatchery-produced salmonids have a natural iodine deficiency because this element is not available in their feeds, and thus can not produce adequate amounts of thyroid hormones. If thyroid hormone levels are low, the interrenal cells increase the secretion of cortisol to cope with the extrametabolic needs that would otherwise be controlled by sufficient thyroid hormones. During times of stress, fish that are iodine-deficient may produce more cortisol than iodine-sufficient fish, thus exacerbating the stress response.

# **Iodinated feed and stress**




Fig. 1: Plasma cortisol concentrations in control (regular feed) and test (iodinated feed) fish. \* Significantly different from controls.

Stress affects the physiology of fish by suppression of their immune system, increased respiratory and circulatory rates, a metabolic switch from anabolism to catabolism, and impaired ability to maintain ion balance. These in turn affect osmoregulation, reduce growth, and increase the susceptibility to diseases.

In a recent study at Purdue University in Fort Wayne, Indiana, USA, the author hypothesized that when provided with iodine, the thyroid would increase the production of thyroid hormones. This would reduce the need of the interrenal cells to secrete excess cortisol and thereby reduce the effects of stress. The study investigated the effects of iodinated feed to modulate stress and compared blood cortisol, glucose, and thyroid hormone levels and growth of fish.

# **Experimental setup**

One hundred and sixty steelhead trout (*Oncorhynchus mykiss*) with a mean weight of 70 grams were placed in two control and test groups with two replicates each and maintained in an optimum aquatic environment. The test groups were fed iodinated feed treated with potassium iodide at 20 milligrams per kilograms feed, and the control groups were fed regular feed.

The fish were exposed to physical stressors every day for about two minutes to elicit a typical stress and then sampled every two weeks for 12 weeks. Samples were evaluated for length and weight, blood hematocrit, glucose, cortisol levels (stress levels), and  $T_3$  and  $T_4$  thyroid hormones.

# Results

Fish fed iodinated feed had higher levels of thyroid hormones, lower blood stress levels, and better growth. The consistently increased levels of plasma thyroid hormones and decreased levels of plasma cortisol suggested that

supplementation of iodine in the feed was elevating the levels of thyroid hormones and decreasing the levels of cortisol.




Fig. 2: Growth in control (regular feed) and test (iodinated feed) fish. \* Significantly different from controls.

In stressed salmonids, elevated levels of cortisol usually reduce the conversion of  $T_4$  to  $T_3$  or increase the clearance rate of  $T_3$ . Smoltification has also been associated with reduced  $T_4$  to  $T_3$  conversion.

In this study, stressed fish fed regular feed had higher levels of cortisol and lower levels of thyroid hormones, suggesting the levels may have resulted from increased  $T_4$  to  $T_3$  conversion, followed by further deiodination or clearance of  $T_3$ , or decreased  $T_4$  production and either decreased  $T_4$  to  $T_3$  conversion or increased  $T_3$  clearance. On the other hand, fish fed iodinated feed had increased levels of thyroid hormones in the plasma due to the increased production or decreased clearance rate of the thyroid hormones.

# Conclusion

From this study and others, it appears that supplemented iodine increases the production of thyroid hormones in fish, which subsequently reduces the stress hormone cortisol and also improves fish growth. Used with other husbandry practices, iodized feed could improve the growth and survival of cultured salmonids like steelhead trout.

(*Editor's Note: This article was originally published in the April 2003 print edition of the* Global Aquaculture Advocate.)

# Now that you've finished reading the article ...

... we hope you'll consider supporting our mission to document the evolution of the global aquaculture industry and share our vast network of contributors' expansive knowledge every week.

By becoming a Global Seafood Alliance member, you're ensuring that all of the pre-competitive work we do through member benefits, resources and events can continue. Individual membership costs just \$50 a year.

## Not a GSA member? Join us.

Support GSA and Become a Member

## Author

• 📄 Ahmed Mustafa, Ph.D.

Ahmed Mustafa, Ph.D.

Department of Biology Indiana University – Purdue University Fort Wayne, Indiana 46805 USA

[117,100,101,46,119,102,112,105,64,97,97,102,97,116,115,117,109]

## Share

- <u>Share via Email</u>
- <u>Share on Twitter</u>
- **F** Share on Facebook
- in <u>Share on LinkedIn</u>

# **Tagged With**

iodinated feed Ahmed Mustafa steelhead trout

## **Related Posts**

Innovation & Investment

# **Developments in closed-containment technologies for salmonids, part 1**

The recent 2017 Aquaculture Innovation Workshop in Vancouver brought together numerous stakeholders involved in and interested in fish farming – particularly salmonids – in the growing industry of closed-containment systems.

Health & Welfare

# Floating closed-containment aquaculture

Floating closed-containment systems incorporate low-pressure pumping, oxygen supplementation, solid-waste separation and efficient feed management.

## Intelligence

# **From the Hollywood Hills to the raceways of Riverence**

Six-year-old Riverence Holdings, founded by a cattle rancher and a Hollywood TV producer, is now the largest land-based trout producer in the Americas.

# Intelligence


# Project seeks to synergize Canada's Arctic charr industry

A project to develop Arctic charr culture and commercialization in Canada involves governmental and nongovernmental agencies, universities and research institutes, and Canadian producers from eight provinces and territories of Canada.

## About The Advocate

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

## Learn More



# Listen to the seafood industry's top podcast

# **Advertising Opportunities**

2022 Media & Events Kit

## Categories

Aquafeeds > Health & Welfare Health & Welfare > From Our Sponsors > Innovation & Investment > Intelligence > Responsibility > Fisheries > Artículos en Español >

# Don't Miss an Article

## Featured

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Intelligence A seat at the table: Fed By Blue team says aquaculture needs a stronger voice
- <u>Responsibility Quantifying habitat provisioning at macroalgae cultivation locations</u>

## **Popular Tags**

All Tags 🗸 🗸

## Recent

- Fisheries Second Test: Another filler for the fisheries category
- Fisheries Test: This is filler for the fisheries Category
- Aquafeeds Test Article
- <u>Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean</u> <u>temperature warms</u>
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool



# Listen to the seafood industry's top podcast

- <u>About</u>
- <u>Membership</u>
- <u>Resources</u>
- Best Aquaculture Practices (BAP)
- Best Seafood Practices (BSP)
- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- <u>Blog</u>
- <u>Contact</u>

# Stay up to date with GSA

- 0
- f
- 🗙
- in
- 🕨

Copyright © 2024 Global Seafood Alliance All rights reserved. <u>Privacy</u> <u>Terms of Use</u> <u>Glossary</u>