<u>Global Seafood Alliance Logo</u>

- GOAL Events
- <u>Advocate Magazine</u>
- Aquademia Podcast
- <u>Blog</u>
- <u>Contact</u>
- 0
- f
- 🗙
- in
- 🕨
- <u>Log In</u>
- $\square$ 
  - <u>About</u>
    - <u>Who We Are</u>
    - <u>Our History</u>
    - <u>Our Team</u>
    - Sustainable Development Goals
    - <u>Careers</u>
  - <u>Membership</u>
    - <u>Overview</u>
    - <u>Our Members</u>
    - Corporate Membership
  - <u>Resources</u>
  - <u>Certification</u>
    - Best Aquaculture Practices
    - Best Seafood Practices

Search...

Q

<u>Log In</u>

- <u>About</u>
  - <u>Who We Are</u>
  - <u>Our History</u>
  - Our Team
  - Sustainable Development Goals
  - <u>Careers</u>
- <u>Membership</u>
  - <u>Overview</u>
  - Our Members
  - Corporate Membership
- <u>Resources</u>
- <u>Certification</u>
  - <u>Best Aquaculture Practices</u>
  - Best Seafood Practices
- GOAL Events
- <u>Advocate Magazine</u>

- <u>Aquademia Podcast</u>
- <u>Blog</u>
- <u>Contact</u>



## **Mollusk culture in Portugal**

Responsible Seafood Advocate logo 1 March 2009 Fernando Afonso, Ph.D. Francisco Ruano

## Grooved clams dominate small industry



The adoption of salt industry ponds and water gates for polyculture of fish and mollusks is a productive use of the abandoned salt proprieties.

In Portugal, aquaculture production reflected only 5.4 percent of the total volume produced by the country's declining capture fisheries in 2007. Of this percentage, mollusk farming in coastal waters focuses mainly on clams (*Ruditapes decussatus*), oysters (*Crassotrea angulata*, *C. gigas*, *Ostrea edulis*) and mussels (*Mytilus edulis*). Most of the shellfish industry is located on the country's southern coast, particularly in the Algarve region.

Commercial production of bivalve mollusks uses a variety of production systems, including so-called "viveiros" or inshore, man-made culture beds, and offshore systems like long lines and rafts. Oysters are also raised in earthen ponds at fish farms, which collect wild seedstock from natural sea beds. Table 1 shows the rounded annual aquaculture production of major mollusk species in Portugal.

## Afonso, Aquaculture production in metric tons of major mollusk species, Table 1

Species	1999	2000	2001	2002	2003	2004	2005	2006
Grooved carpet shell clams	1,380	2,416	2,723	3,094	3,186	2,011	1,647	2,335
Carpet clams	6	1	1					
Cockles	114	131	39	47	23	4	79	115
Oysters	754	546	955	420	417	432	522	680
Mussels	287	273	213	424	279	192	276	372
Razor clams						2	1	
				-				

Table 1. Aquaculture production in metric tons of major mollusk species, 1999-2006. Source: Direcção Geral das Pescas e Aquicultura.

## Aquaculture development



Portuguese cupped oyster, *Crassostrea angulata*.

Aquaculture of marine and brackish water species in Portugal was done traditionally in inland coastal waters, estuaries and coastal lagoons using extensive regimes of production. Since the 1970s, a progressive and continuous decreasing of salt production has resulted in the abandonment of many hectares of salt pans built centuries ago in marsh lands. This land is slowly being converted to aquaculture farms.

Recently, integrated polyculture with mollusks and fish has proven successful at these farms. In fact, the use of salt industry infrastructure like ponds, dikes and water gates for marine aquaculture has become a cheap and easy process to recover the abandoned properties in productive units with fewer environmental impacts.

A modern aquaculture industry has developed in recent years, including nurseries, hatcheries and growout facilities for fish and shellfish species. Based on local technology improvements, the productivity and product quality from these semi-intensive ponds has significantly improved.

## **Mollusk production**

The harvesting of bivalve mollusks has been an important component of Portugal's fisheries since ancient times. The flat oyster (*Ostrea edulis*) was the main species in value and tonnage until 1900. It was replaced in importance by the Portuguese oyster (*Crassostrea angulata*) until the 1970s and then by the grooved carpet shell clam

(*Ruditapes decussatus*). Currently, Portuguese production of marine bivalves is strongly dominated by the grooved carpet shell clam, followed by Japanese and Portuguese cupped oysters, and mussels.



Despite the rough conditions along the Portuguese coastline, suspended rafts and long lines for mussels and oysters are emerging in offshore areas.

The traditional utilization of natural beds is an important gathering activity that sends not only commercial-size bivalves but most of the seed used in the cultivation facilities to market. Including the species named above, several bivalve species are cultured in estuaries, lagoons and "rias" or estuaries formed in flooded river valleys.

The most important and traditional cultivation approach for clams is the intertidal viveiro culture bed, prepared to receive and grow seedstock to commercial size (Table 2). The use of trays and pouches is becoming more popular for oyster culture in subtidal and intertidal area.

### Afonso, Number of saltwater and freshwater farms in Portugal, Table 2

	Saltwater	s Saltwater	Saltwater	Freshwater	- Freshwater	Freshwater
	Intensive	Semi-Intensive	Extensive	Intensive	Semi-Intensive	Extensive
Reproduction units	9			13	2	
Man-made culture beds	5		1,279			
Tanks	10	76	53	17	2	
Floating cages	3*		20**	1*		

Table 2. Number of saltwater and freshwater farms in Portugal. Source: Direcção Geral das Pescas e Aquicultura.

\* Fish \*\* Bivalve mollusks

Despite the rough conditions of the Portuguese coastline, which is rather exposed and lacks natural shelters such as bays or barrier islands to protect the shore from stormy conditions prevalent during most of the year, new producing systems using suspended rafts or long lines are emerging in offshore areas as an alternative to land-based facilities. The systems grow mostly mussels and oysters.

### **Production constraints**

Mollusk aquaculture in Portugal, like elsewhere, has much potential and high expectations. But a number of challenges, including price variations, strong international competition, and changing consumer needs and expectations, face the industry. Mortality issues from perkinsiosis of carpet shell clams and summer mortalities of Japanese oysters are production constraints that must be efficiently addressed before mollusk aquaculture's full potential can be realized.

(*Editor's Note: This article was originally published in the March/April 2009 print edition of the* Global Aquaculture Advocate.)

## Now that you've finished reading the article ...

... we hope you'll consider supporting our mission to document the evolution of the global aquaculture industry and share our vast network of contributors' expansive knowledge every week.

By becoming a Global Seafood Alliance member, you're ensuring that all of the pre-competitive work we do through member benefits, resources and events can continue. Individual membership costs just \$50 a year.

#### Not a GSA member? Join us.

Support GSA and Become a Member

#### Authors

• 📄 Fernando Afonso, Ph.D.

Fernando Afonso, Ph.D.

Centro de Investigação Interdisciplinar em Sanidade Animal Faculdade de Medicina Veterinária Lisboa, Portugal

[116, 112, 46, 108, 116, 117, 46, 118, 109, 102, 64, 111, 115, 110, 111, 102, 97, 102]

SFrancisco Ruano

Francisco Ruano

Inst. de Investigação das Pescas e do Mar Aquaculture Department Lisboa, Portugal

#### Share

- <u>Share via Email</u>
- **J** Share on Twitter
- **f** Share on Facebook
- in <u>Share on LinkedIn</u>

#### **Tagged With**

Francisco Ruano mussels oysters mollusks Portugal Fernando Afonso

#### **Related Posts**

Responsibility

#### **COEXIST project addresses uses, interactions in Europe's coastal waters**

Throughout Europe, debate is taking place as to whether new fish farms, wind farms, tourist facilities or marine and/or coastal protected areas should be established. Competition for space is increasing. In the COEXIST project, partners from 10 European countries are exploring these developments, aiming to increase synergies and reduce conflicts, particularly with regard to the fields of aquaculture and fisheries.

Innovation & Investment

#### **Can IoT tool help fish farmers sleep better at night?**

Berlin-based Monitorfish wants to enable fish farmers to keep a close watch on their stocks from their smartphones, another Internet of Things solution for producers.

Health & Welfare

#### <u>Algae shows promise as alternative DHA source in rainbow trout diets</u>

A growth trial in Canada evaluated the use of algae biomass to increase the concentration of long-chain polyunsaturated fatty acids in the tissues of rainbow trout.

Intelligence

#### Aquaculture 2016: Examining the industry's role in the food system

A wide range of important topics was discussed at the Aquaculture 2016 conference and trade show in Las Vegas last week. Editor Emeritus Darryl Jory shares his notes from the four-day event, which occurs every three years.

#### About The Advocate

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

#### Learn More

Search Responsible Seafood Advocate	Search	$\left  \right $	Search <b>Q</b>	)
Search Responsible Searoou Auvocale	Search	11.	Search	



# Listen to the seafood industry's top podcast

#### **Advertising Opportunities**

#### 2022 Media & Events Kit

#### Categories

<u>Aquafeeds</u> <u>Health & Welfare</u> <u>From Our Sponsors</u> <u>Innovation & Investment</u> <u>Intelligence Intelligence</u> <u>Responsibility</u> <u>Fisheries</u> <u>Artículos en Español</u>

#### Don't Miss an Article

#### Featured

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Uncategorized <u>A seat at the table: Fed By Blue team says aquaculture needs a stronger voice</u>
- <u>Responsibility Quantifying habitat provisioning at macroalgae cultivation locations</u>

#### **Popular Tags**

#### 6/14/2024

All Tags

#### Recent

- Fisheries Second Test: Another filler for the fisheries category
- Fisheries Test: This is filler for the fisheries Category
- <u>Aquafeeds Test Article</u>

×

- <u>Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean</u> <u>temperature warms</u>
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool



# Listen to the seafood industry's top podcast

- <u>About</u>
- <u>Membership</u>
- <u>Resources</u>
- <u>Best Aquaculture Practices (BAP)</u>
- <u>Best Seafood Practices (BSP)</u>
- GOAL Events
- <u>Advocate Magazine</u>
- <u>Aquademia Podcast</u>
- <u>Blog</u>
- <u>Contact</u>

#### Stay up to date with GSA

- 🖸
- **f**
- 🗙
- in
- 🕨

Copyright © 2024 Global Seafood Alliance All rights reserved. <u>Privacy</u> <u>Terms of Use</u> <u>Glossary</u>