Global Seafood Alliance Logo

- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- <u>Blog</u>
- Contact
- 0
- **f**
- X
- in
- .
- Log In

- About
 - Who We Are
 - Our History
 - o Our Team
 - Sustainable Development Goals
 - o Careers
- Membership
 - o <u>Overview</u>
 - Our Members
 - Corporate Membership
- Resources
- Certification
 - Best Aquaculture Practices
 - Best Seafood Practices

Search...

Q

Log In

- About
 - Who We Are
 - o Our History
 - Our Team
 - Sustainable Development Goals
 - Careers
- Membership
 - Overview
 - o Our Members
 - Corporate Membership
- Resources
- Certification
 - Best Aquaculture Practices
 - Best Seafood Practices
- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- Blog
- Contact



New ingredients for shrimp feeds, Part 1

Responsible Seafood Advocate logo

1 August 2003 Sergio F. Nates, Ph.D. Albert G.J. Tacon, Ph.D.



Yeast glucans provide protein, vitamins, viral resistance



New technology is making the addition of brewer's yeast to aquaculture feed both more practical and affordable.

New aquaculture feed ingredients and processes are figuring prominently in the production of more-nutritious and better-balanced "specialty feeds." Increasing demand for specialty feeds has also spurred the growth of specialty ingredients that enhance the quality of the feed.

The largest sales and fastest growth in this segment are expected to be among those ingredients that serve special purposes and/or provide advantages such as cost savings. Of these ingredients, fishmeal replacements will likely lead because they provide feed manufacturers both cost and functional advantages, and have wide applicability.

Brewer's yeast

Providing less-expensive sources of protein supplements for aquaculture has been a goal of numerous studies that examined plants, agricultural processing wastes, and brewery wastes. Brewer's and baker's yeast are high in protein and readily digestible, but were historically expensive. However, new bioreactor technology has lowered the cost of yeast to the point that it now may be cost-effective as a feed ingredient.

Yeast is often taken as a vitamin supplement because it is 50 percent protein and a rich source of the B vitamins niacin and folic acid. The cell wall of Saccharomyces yeast is made of a "yeast cellulose" with beta-1,3-glucan and beta-1,6-glucan linkages, which is similar to the cellulose in the cell walls of most higher plants that contain only beta-1,3- glucan linkages.

About 30 to 35 percent of the cell wall is composed of glucan, while another 30 percent is mannan, a water-soluble polysaccharide of the sugar D-mannose. The remaining components are 1 to 2 percent chitin, 10 percent lipids and a small percentage of inorganic molecules. The fatty acid compositions of yeasts show a significant lack of the 20:5 omega-3 and 22:6 omega-3 polyunsaturated fatty acids required for the good nutrition of shrimp.

Nearly half the dried weight of brewer's yeast is protein. The yeast contains 18 amino acids, 10 of which – including valine, leucine, lysine, arginine and threonine – are essential. Yeast also contains phosphorous and potassium as the main minerals and it is the richest known natural source of the water-soluble B vitamin group.

Beta-glucans

In 1999, Dugger and Jory reviewed the applications of beta-1,3-glucan in shrimp aquaculture. In haemocytes and macrophages, they found, the glucan molecules activate the synthesis of a broad range of substances which act as natural antibiotics, antifungals, and antivirals.

The glucans stimulate the production of additional haemocytes, raise wound-healing capacity, and increase the coagulation of blood and hemolymph. They also increase antitumoral and stress agents, and the transport of important nutrients, vitamins, and pigments. The glucans effectively prime the nonspecific immune system to a higher level of readiness. When a pathogen challenge occurs, the immune system is already in high gear and ready to fight.

Prophenoloxidase system

Invertebrates are not known to have a system of acquired or specific immunity. Host defense is nonspecific and mainly mediated by circulating haemocytes. In arthropods, the prophenoloxidase system (proPO) is an enzymatic cascade system involved in the recognition of microbial molecules. It resides in intracellular vesicles of the haemocytes.

In research, extracted proPO from crayfish haemocytes was transformed to its active form phenoloxidase by a serine protease. This activation was affected by Ca+2 (a calcium ion) concentration.

Maximal spontaneous activation was observed at a Ca+2 concentration of 5 mM. Beta-1,3-glucan was also effective in activating the proenzyme. Lipopolysaccharides from Gram-negative bacteria activated the system after a lag of 25 to 30 minutes.

Other research with the proPO system has indicated its involvement in penaeid shrimp resistance to vibriosis, the stimulation of cell adhesion factor, and the effectiveness of glucans and calcium in promoting the proPO activation. As seen in other aspects of immunostimulation by glucans, the heightened activity of proPO appears to last about two weeks.

Incorporation

Feed incorporation is the most cost-effective application method for beta-glucans, which can be incorporated into any feed formulation. Beta-1,3-glucan in commercial premixes typically performs better than nonpremix additions.

Bioencapsulation involves the feeding of insoluble beta-1,3-glucan in the form of a purified powder to live food organisms like brine shrimp. The feeder animals ingest the glucan powder and are then fed to the cultured organism, which might not otherwise accept nonanimated feeds.

Dose

Optimum glucan doses are in the range of 0.5 ppt, regardless of the mode of delivery. Again, the most cost-effective manner to administer this immunostimulant is by incorporation at about 0.5 grams per kilograms feed.

Exposures to glucans at much higher concentrations did not result in significant increases in nonspecific immune response, nor did they exhibit any toxicity. Single exposures to beta-1,3-glucan have produced short periods of heightened immune responses, as measured by secretory products such as prophenol oxidase.

Enhancing resistance

In 2000, Chang et al. reported that beta-glucans have successfully been used to enhance the resistance of crustaceans against bacterial or viral infections. Using beta-1,3-1,6-glucans extracted from yeast cell walls, Sung et al. (1994) and Song et al. (1997) demonstrated enhanced resistance of *Penaeus monodon* to vibriosis and White Spot Syndrome Virus (WSSV) infection.

In another study, adult spawning *P. monodon* females were injected with baker's yeast glucans and the released young were challenged with a virus associated with WSSV. The results showed a significant increase in survival for larvae derived from groups of glucan-injected spawners compared to controls. This was the first documented demonstration of a maternal transmission of immunity in invertebrates.

Note: This article summarizes a presentation by the authors at the World Aquaculture 2003 conference in Salvador, Brazil. Cited references are available from the authors.

(Editor's Note: This article was originally published in the August 2003 print edition of the Global Aquaculture Advocate.)

Now that you've finished reading the article ...

... we hope you'll consider supporting our mission to document the evolution of the global aquaculture industry and share our vast network of contributors' expansive knowledge every week.

By becoming a Global Seafood Alliance member, you're ensuring that all of the pre-competitive work we do through member benefits, resources and events can continue. Individual membership costs just \$50 a year.

Not a GSA member? Join us.

Support GSA and Become a Member

Authors

• Sergio F. Nates, Ph.D.

Sergio F. Nates, Ph.D.

Zeigler Bros., Inc. P.O. Box 95 Gardners, Pennsylvania 17324 USA



Albert G.J. Tacon, Ph.D.

Aquatic Farms Ltd. 49-139 Kamehameha Highway Kaneohe, Hawaii 96744 USA

[109,111,99,46,108,111,97,64,110,111,99,97,116,106,103,97]

Share

- Share via Email
- **Y** Share on Twitter
- **f** Share on Facebook
- in Share on LinkedIn

Tagged With

shrimp feeds Albert G. J. Tacon feed ingredients Sergio F. Nates

Related Posts

Health & Welfare

A case for better shrimp nutrition

Shrimp farm performance can often be below realistic production standards. Use proven nutrition, feeds and feeding techniques to improve profitability.

Responsibility

A helping hand to lend: UK aquaculture seeks to broaden its horizons

Aquaculture is an essential contributor to the world food security challenge, and every stakeholder has a role to play in the sector's evolution, delegates were told at the recent Aquaculture's Global Outlook: Embracing Internationality seminar in Edinburgh, Scotland.

Aquafeeds

A look at India's fish feed industry

India's fish-farming industry makes limited use of modern feeds, providing potential for the feed sector to grow. Commercial feeds are predominantly used for pangasius farming, followed by a rising popularity in carp culture.

Aquafeeds

New ingredients for shrimp feeds, Part 2

"New" ingredients like seaweed meals, particularly from various kelp species, provide trace minerals and vitamin A, and increase the palatability of shrimp feeds.

About The Advocate

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

Search Q

Learn More

Search Responsible Seafood Advocate Search

Aquademia

Listen to the seafood industry's top podcast

Advertising Opportunities

2022 Media & Events Kit

Categories

Aquafeeds Aquafeeds Health & Welfare From Our Sponsors Innovation & Investment Intelligence Responsibility Fisheries Artículos en Español

Don't Miss an Article

Featured

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Uncategorized A seat at the table: Fed By Blue team says aquaculture needs a stronger voice
- Responsibility Quantifying habitat provisioning at macroalgae cultivation locations

Popular Tags



Recent

- Fisheries Second Test: Another filler for the fisheries category
- Fisheries Test: This is filler for the fisheries Category
- Aquafeeds Test Article
- · Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean temperature warms
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool



- About
- Membership
- Resources
- Best Aquaculture Practices (BAP)
- Best Seafood Practices (BSP)
- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- <u>Blog</u>
- Contact

Stay up to date with GSA

- 🧔
- 🕇
- >
- .

Copyright © 2024 Global Seafood Alliance All rights reserved.

<u>Privacy</u> <u>Terms of Use</u> <u>Glossary</u>