



- [GOAL Events](#)
- [Advocate Magazine](#)
- [Aquademia Podcast](#)
- [Blog](#)
- [Contact](#)
-
-
-
-
-
- [Log In](#)



- [About](#)
 - [Who We Are](#)
 - [Our History](#)
 - [Our Team](#)
 - [Sustainable Development Goals](#)
 - [Careers](#)
- [Membership](#)
 - [Overview](#)
 - [Our Members](#)
 - [Corporate Membership](#)
- [Resources](#)
- [Certification](#)
 - [Best Aquaculture Practices](#)
 - [Best Seafood Practices](#)



[Log In](#)

- [About](#)
 - [Who We Are](#)
 - [Our History](#)
 - [Our Team](#)
 - [Sustainable Development Goals](#)
 - [Careers](#)
- [Membership](#)
 - [Overview](#)
 - [Our Members](#)
 - [Corporate Membership](#)
- [Resources](#)
- [Certification](#)
 - [Best Aquaculture Practices](#)
 - [Best Seafood Practices](#)
- [GOAL Events](#)
- [Advocate Magazine](#)
- [Aquademia Podcast](#)
- [Blog](#)
- [Contact](#)



Health & Welfare
Health & Welfare

Selective breeding for TSV-resistant shrimp



1 December 1999 James Wyban



Over three rounds of selection, mean survival steadily increased

High Health Aquaculture, Inc. (HHA), a shrimp breeding company located in Kona, Hawaii, has been working on developing shrimp resistant to the Taura Syndrome Virus (TSV) since 1994. We carry out a selective breeding program to develop TSV-resistant *L. vannamei*, with the goal of developing fast growing, disease resistant shrimp that minimize risk of disease and maximize profits in culture. All of our stocks, including (*L. vannamei*, *L. stylirostris* and *P. monodon*), are certified virus-free. I

n our first two rounds of selection for TSV resistance, our selected *L. vannamei* groups had significantly higher survival than non-selected groups. Details of those experiments are published in the Proceedings of the First Latin American Shrimp Culture Conference, held in Panama on October 1998 (available at: info@gfca.com)

We completed our third round of selection for TSV resistance in the spring of 1999. Tagged juveniles were shipped live to Tucson (Arizona), where the Aquaculture Pathology Lab at the University of Arizona conducted the TSV-challenge. Our select *L. vannamei* group (called HH2000) averaged 69 percent survival, compared to a 31 percent survival average for the non-select group. Over the three rounds of selection we have completed, the mean survival of our select groups has steadily increased (Fig. 1). These data indicate that our selective breeding program for TSV-resistance is making good progress towards our goal.




Fig. 1: Mean lab survivals of selected groups.

Field data from use of our select stocks in 1999 is now available from Texas. Broodstock produced from our HH99 select group were supplied to Harlingen Shrimp Farm, the leading shrimp hatchery in the U.S. They used the HH99 broodstock to produce PL to supply the U.S. industry in 1999.

Harvest data from Texas indicate that the HH99 offspring displayed outstanding growth rates, reaching mean harvest sizes of 22 to 25 grams. Harvest survivals in TSV-free farms in South Texas were 70-80 percent. Harvest survivals in TSV-positive farms in North Texas were in the 30 to 50 percent range. Farmers report that these growth rates and survivals are well above those recorded in 1998, and are strong encouragement to restock High Health shrimp in the future. Overall, the 1999 farmed shrimp crop in Texas reached levels comparable to pre-TSV years for the first time since the disease appeared.

The increasing survivals of HHA's select groups in lab challenges combined with the improved survivals and growth rates in Texas shrimp farms using HHA's selected stocks, indicate that we are making significant progress towards our goals of developing a fast growing TSV-resistant *L. vannamei*.

(Editor's Note: This article was originally published in the December 1999 print edition of the Global Aquaculture Advocate.)

Now that you've finished reading the article ...


... we hope you'll consider supporting our mission to document the evolution of the global aquaculture industry and share our vast network of contributors' expansive knowledge every week.

By becoming a Global Seafood Alliance member, you're ensuring that all of the pre-competitive work we do through member benefits, resources and events can continue. Individual membership costs just \$50 a year.

Not a GSA member? Join us.

[Support GSA and Become a Member](#)

Author

-  James Wyban

James Wyban

Kona, Hawaii USA

Share

- [✉ Share via Email](#)
- [🐦 Share on Twitter](#)
- [f Share on Facebook](#)
- [in Share on LinkedIn](#)

Tagged With

[James Wyban](#) [TSV](#) [Taura syndrome virus](#)

Related Posts

Health & Welfare

[Blue alternative: High Health introduces SPF blue shrimp to Thailand](#)

Blue shrimp are very similar to Pacific white shrimp, and can be raised under similar conditions. Blues grow faster and tolerate lower water temperatures.

Health & Welfare

[Colombian shrimp research associates TSV, NHP selection, resistance](#)

In an NHP (necrotizing hepatopancreatitis) challenge test, shrimp from a Colombian breeding program had higher resistance and 30 percent greater survival than a control line of Taura syndrome virus-free shrimp.

Health & Welfare

[Domestication of Pacific white shrimp revolutionizes aquaculture](#)

The development of specific pathogen-free Pacific white shrimp and breeding led to rapid adoption of the domesticated shrimp throughout the Western Hemisphere and Asia.

Health & Welfare

[Evolutionary history of Taura Syndrome Virus](#)

Based on a phylogenetic analysis with the BEAST program, the authors determined the evolutionary relationships among 83 Taura syndrome virus isolates.

About The Advocate

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

[Learn More](#)

Search Responsible Seafood Advocate



Advertising Opportunities

[2022 Media & Events Kit](#)

Categories

[Aquafeeds](#) > [Health & Welfare](#) [Health & Welfare](#) > [From Our Sponsors](#) > [Innovation & Investment](#) > [Intelligence](#) > [Responsibility](#) > [Fisheries](#) > [Artículos en Español](#) >

Don't Miss an Article

Featured

- [Health & Welfare](#) [An update on vibriosis, the major bacterial disease shrimp farmers face](#)
- [Intelligence](#) [A seat at the table: Fed By Blue team says aquaculture needs a stronger voice](#)
- [Responsibility](#) [Quantifying habitat provisioning at macroalgae cultivation locations](#)

Popular Tags

All Tags ▼






Recent

- [Fisheries](#) [Second Test: Another filler for the fisheries category](#)
- [Fisheries](#) [Test: This is filler for the fisheries Category](#)
- [Aquafeeds](#) [Test Article](#)
- [Responsibility](#) [Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean temperature warms](#)
- [Health & Welfare](#) [Indian shrimp researchers earn a patent for WSSV diagnostic tool](#)



- [About](#)
- [Membership](#)
- [Resources](#)
- [Best Aquaculture Practices \(BAP\)](#)
- [Best Seafood Practices \(BSP\)](#)
- [GOAL Events](#)
- [Advocate Magazine](#)
- [Aquademia Podcast](#)
- [Blog](#)
- [Contact](#)

Stay up to date with GSA

- 
- 
- 
- 
- 

Copyright © 2024 Global Seafood Alliance
All rights reserved.

[Privacy](#)

[Terms of Use](#)

[Glossary](#)