Global Seafood Alliance Logo

- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- Blog
- Contact
- 0
- . 4
- X
- in
- 🔼
- <u>Log In</u>

- About
 - o Who We Are
 - Our History
 - o Our Team
 - Sustainable Development Goals
 - <u>Careers</u>
- <u>Membership</u>
 - o <u>Overview</u>
 - Our Members
 - Corporate Membership
- Resources
- Certification
 - Best Aquaculture Practices
 - Best Seafood Practices

Search...



<u>Log In</u>

- About
 - o Who We Are
 - Our History
 - o Our Team
 - Sustainable Development Goals
 - Careers
- Membership
 - o <u>Overview</u>
 - Our Members
 - o Corporate Membership
- Resources
- Certification
 - Best Aquaculture Practices
 - Best Seafood Practices
- GOAL Events
- Advocate Magazine

- Aquademia Podcast
- Blog
- Contact



Wanted: More omega-3s. But from where?

Responsible Seafood Advocate logo

14 May 2018 Nicki Holmyard



Leading nutritionist casts doubt on necessity of long-chain fatty acids from fish



Salmon fillet. Adobe Stock Images.

Salmon farming is big business, with production volumes of Atlantic salmon, the predominant farmed species, increasing by more than 800 percent since 1990. Annual production of all salmon species is well over 2 million metric tons (MT) globally and is set to rise considerably over the next decade as technology enables production to take place further and further offshore (as well as on land)

For production of salmon to increase, so too must alternative sources of omega-3 fatty acids, particularly the long-chain eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA), essential for energy and muscle growth in salmon. EPA and DHA are also the primary omega-3s needed to support heart health in humans and their high content in salmon is often promoted by seafood marketers and healthy-eating experts to help increase sales.

Fish oil was traditionally the major source of EPA and DHA in salmon diets. However, with finite fish oil supplies available from wild-caught fish such as Peruvian anchoveta, and competition for omega-3s from the fast-growing market for health supplements, fish feed manufacturers are increasingly seeking alternative sources. These include

algae, insect meal, byproducts of the alcohol brewing industry and advanced soy products. Considerable effort is being put into finding others.

Soy beans and canola oil are good natural sources of the short-chain omega-3 fatty acid alpha-linolenic acid (ALA). While ALA is also an "essential" omega-3 fatty acid – meaning that our bodies cannot make it on their own – it is a precursor to EPA and DHA. Some experts believe that conversion rate by humans is low, with less than 1 percent of ALA being converted to EPA and DHA.

In order to boost the potency of canola oil and its usefulness in salmon feed, American feed giant Cargill and Australia's Nuseed are both investing large sums of money in the development of a genetically modified (GM) canola oil that is rich in DHA.

Professor Jonathan Napier of Rothamsted Research in Harpenden, UK, is also undertaking field trials with GM crops and hopes that they may prove to be an acceptable solution. However, while GM products in general are widely produced in the United States and Asia, they are not currently accepted by consumers in Europe.

"We think GM technology has the potential to help fish farming become more sustainable and continue to grow as an industry," said Napier.

Esteemed nutritional science expert Marion Nestle, a former senior advisor to the U.S. Department of Health and Human Services, has written many prize-winning books on the subject. She believes that green vegetables are just as capable of delivering healthy omega-3 fatty acids to humans as a GM canola crop.

Nestle also does not believe there is compelling evidence that omega-3 deficiency is an important public health problem in the United States and questions the importance of developing DHA-rich GM crops for aquaculture.

"Think about this for a minute," she said. "Plenty of human populations have survived and thrived in areas where there were no fish or fish oil supplements. How? They ate green vegetables. These have plenty of omega-3 fatty acids that are synthesized into the much longer-chain ones that are easier to get from fish, but they work just fine. Good thing. I think omega-3s are another good reason to eat your veggies."

Fish oil still essential

Use of fish oil in salmon feed has been gradually decreasing. Fish oil inclusion was on average 24 percent of the salmon feed formulation in Scotland in 2005, falling to 11 percent by 2012 and hovering at around 9 percent today.

Some feeds are made with zero fish oil, but only for use at certain periods of the production cycle, to avoid health and disease issues in the fish. There remains a big question mark over whether fish oil can ever be fully removed.

According to Su Cox, communications and business development director at the Scottish Salmon Company, the taste of a salmon fed entirely on a vegetarian diet is "not quite acceptable yet."

According to organizers of the F3 Fish Oil Challenge, a two-year competition introduced in September 2017, following the conclusion of a successful challenge to create a fish feed using **no fishmeal**, there are alternative sources of protein that can be substituted in without any impact on fish growth and health. However, there is no substitute for fish oil that is cost-effective and available at scale.

"Our latest challenge is to create a fish-free 'fish oil' replacement with a profile of essential fatty acids that mimics those found in forage fish. The goal is to reduce demand pressures on wild-caught stocks, by accelerating the availability of cost-competitive, viable alternatives to fish oil," said Dr. Kevin Fitzsimmons, University of Arizona, who sits on the judging panel.

Aquaculture's increasing efficiency with aquafeed resources has changed the nutritional profiles of farmed seafood products. Last year the foremost UK news channel, the BBC, ran a prime-time report that alarmed the public by stating that falling omega-3 levels in salmon meant that it was no longer such a good food to eat, although it remained one of richest sources of omega-3s.

https://www.aquaculturealliance.org/advocate/omega-3s-levels-fall-in-farmed-salmon-but-its-still-a-top-source/

Information for the news report came from a study undertaken by researchers at Stirling University, led by Professor Douglas Tocher.

"About five years ago, a portion of Atlantic salmon of 130 grams was able to deliver three-and-a-half grams of beneficial omega-3s. This is actually our weekly recommended intake. Now, the level of omega-3s has halved. Therefore, instead of eating one portion of farmed salmon, we would need to eat two portions," he said.

Professor Tocher's colleague, Dr. Matthew Sprague, believes that the government should consider changing its advice to consumers. Currently people are advised to eat two portions of fish a week, one of which should be an oily fish. Dr. Sprague thinks that the advice should now be to eat two portions of *oily* fish per week.

The U.S. Department of Health and the U.S. Department of Agriculture recommend a weekly intake of at least 237 grams of seafood, and the Norwegian Directorate of Health and several other national health organizations, recommend eating fish at least twice a week.

Follow the *Advocate* on Twitter <u>@GAA Advocate</u>

Author

• Nicki Holmyard

Nicki Holmyard

Nicki Holmyard has written about the seafood industry for longer than she cares to remember! A committed pescetarian, she is also a partner in the UK's first fully offshore rope-grown mussel farm.

Share

- Share via Email
- **Share on Twitter**
- **f** Share on Facebook
- in Share on LinkedIn

Tagged With

Nicki Holmyard Cargill Nuseed Marion Nestle green vegetables farmed salmon omega-3s

Related Posts

Intelligence

Omega-6s and the threat to seafood's healthy halo

Research shows farmed fish fed diets heavy on vegetable oils have higher amounts of omega-6s and lower amounts of omega-3s, compared to fish fed diets heavy on fish oil. We take a deep dive into the relationship between the

two fatty acids.

Aquafeeds

Aquaculture feed producer Evergreen wins F3 Challenge

The inaugural F3 Challenge sought to drive innovation in the aquafeed sector and reduce aquaculture's reliance on marine ingredients like fishmeal and fish oil.

Innovation & Investment

Aquafeed ingredient AlgaPrime wins GAA Innovation Award

A proliferation of alternative feed ingredients has allowed aquaculture to extend the natural resources it depends on. AlgaPrime, packed with the long-chain omega-3 fatty acid DHA, is being recognized as a game-changing innovation for aquaculture feeds.

Aquafeeds

IFFO: Future contributions of marine ingredients in aquafeeds

Fishmeal is still the most nutritious source of protein for aquaculture diets, having a wide range of essential amino acids and a high digestibility, while fish oil is still the only commercially available source of long chain omega-3 for aquaculture diets – both are the foundation of aquafeeds.

About The Advocate

The Responsible Seafood Advocate supports the Global Seafood Alliance's (GSA) mission to advance responsible seafood practices through education, advocacy and third-party assurances.

Learn More

Search Responsible Seafood Advocate Search Search



Advertising Opportunities

2022 Media & Events Kit

Categories

Aquafeeds Health & Welfare From Our Sponsors Innovation & Investment Intelligence Intelligence Nesponsibility Fisheries Artículos en Español

Don't Miss an Article

Featured

- Health & Welfare An update on vibriosis, the major bacterial disease shrimp farmers face
- Intelligence A seat at the table: Fed By Blue team says aquaculture needs a stronger voice
- Responsibility Quantifying habitat provisioning at macroalgae cultivation locations

Popular Tags

All Tags ✓

Recent

- Fisheries Second Test: Another filler for the fisheries category
- Fisheries Test: This is filler for the fisheries Category
- Aguafeeds Test Article
- Responsibility Study: Climate change will shuffle marine ecosystems in unexpected ways as ocean temperature warms
- Health & Welfare Indian shrimp researchers earn a patent for WSSV diagnostic tool



- About
- Membership
- Resources
- Best Aquaculture Practices (BAP)
- Best Seafood Practices (BSP)
- GOAL Events
- Advocate Magazine
- Aquademia Podcast
- Blog
- Contact

Stay up to date with GSA

- (
- 🗴
- 📭

Copyright © 2024 Global Seafood Alliance All rights reserved.

Privacy Terms of Use Glossary