



ALLIANCE™

[.https://gsa.rakadev.com](https://gsa.rakadev.com)**Responsible
Seafood**
ADVOCATE

Responsibility

Brazil's inland aquaculture

1 May 2007

By Prof. Wagner C. Valenti

Freshwater fish dominate production



Most of Brazil's inland aquaculture is based on small-scale farms of less than 2 ha. Photo by Sergio Tamassia.

Brazil has exceptional conditions for the production of freshwater organisms. Its 8.5 million-square-kilometer land area includes one of the largest hydrographic basins in the world. With almost 12 percent of the planet's available freshwater, Brazil has about 2 million ha of dams and water reservoirs.

In addition, vast portions of the country have warm temperatures year-round and a large diversity of native freshwater species. Brazil also has a large consumer market and the scientific knowledge to support the suitable use of aquatic ecosystems.

General production



Although often raised in ponds, tilapia are increasingly cultured in reservoir cages. Carp is another major culture species group. Photo by R. Vidotti, Tilapia do Brasil Inc.

Brazilian fisheries production is somewhat difficult to estimate because the data-collecting system is inefficient and available statistics are inadequate. Information on marine production in Brazil is suitable, but figures on freshwater production tend to be underestimated.

Recent assessments indicated that Brazil's annual seafood production was almost 1 million metric tons. Marine fisheries contributed 50 percent to the total, inland fisheries 24 percent, marine aquaculture 8 percent, and inland aquaculture 18 percent. After a period of large increase during the past decades, inland production has remained stable at around 180,000 metric tons (MT) per year since 2002.

Despite its colder climate, southern Brazil produces 59,000 MT of freshwater aquaculture products annually, a third of the inland aquaculture total. This area is followed in product volume by northeastern Brazil (35,000 MT), midwestern Brazil (33,000 MT), southeastern Brazil (33,000 MT), and

northern Brazil, with 20,000 MT.

Valued at about U.S. \$220 million/year, freshwater fish culture dominates inland production. It is worthy to note that the value of Brazilian fisheries products has been overestimated by the United Nations Food and Agriculture Organization, which presented a mean worth of about \$4.00/kg, while the real value is about \$1.20/kg.

Culture species

Over 60 species of fish, crustaceans, amphibians, and reptiles have been cultured in inland areas. However, finfish contribute over 99 percent of production, while the annual production of freshwater prawns (*Macrobrachium rosenbergii*) and frogs (*Rana catesbeiana*) is less than 1,000 MT. In addition, there are culture operations for turtles, pilot-scale alligator farming in the northern and midwestern regions of Brazil, and some commercial culture of marine shrimp (*Litopenaeus vannamei*) in oligohaline continental waters in the northeast.

Freshwater fish aquaculture is practiced in every state, followed by freshwater prawns, which are cultivated in 20 states. Frogs are mainly produced in the southeastern region. Intensive studies of the Amazon River prawn, (*Macrobrachium amazonicum*), have indicated significant culture potential in inland waters. Several ornamental species also have culture potential.

Brazilian inland aquaculture is based on small-scale production units. Over 85 percent of farms are smaller than 2 ha, while less than 0.01 percent are greater than 50 ha. Generally, farmers buy seedstock from private hatcheries, which may be very large and sophisticated or simple, small backyard setups. Grow-out of fish, marine shrimp, or freshwater prawns is typically carried out in earthen ponds, but tilapia culture in reservoir cages is increasing. Very few fish farms use raceways.

Freshwater fish farming

The 100,000 freshwater fish farmers in Brazil currently produce about 179,000 MT/year. Most production is for local human consumption, with fee fishing also an important market in Brazil's southeast. Some producers have started to explore international markets.

Tilapia and carp dominate, contributing over 60 percent of the overall production (Fig. 1). Tilapia culture is based on Nile tilapia (*Oreochromis niloticus*) sexually reverted to male during the fingerling phase. Currently, tilapia culture is expanding from earthen ponds to cages in public waters.




Fig. 1: Main fish groups farmed in Brazil (IBAMA, 2007). Total fish production is about 180,000 mt/year.

Common, grass, silver, and bighead carp are the main carp species commonly farmed in polyculture integrated with swine production. Tilapia are sometimes added to this polyculture. This approach, certainly the most sustainable system of aquaculture used in Brazil, has been profitable for over 20 years. However, technology for this polyculture has been improved, with increases in productivity and profit.

Rainbow trout and North American catfish are other nonindigenous species produced in the southern and southeastern regions. The farming of the native species tambaqui, pacu, and their hybrid tambacu is very important all over the country, followed by piau. Other native species – matrinxã, piracanjuba, curimatã, and pintado – have been farmed, while pirarucu and jundiá have promising perspectives.

Research and development

Brazil has 90 research institutions, including universities, involved in aquaculture across the country. In addition, aquaculture courses from undergraduate to doctorate level are available in various Brazilian states.

Brazil already has a scientific base to support aquaculture. However, the fact that current methods for extension are ineffective is probably the main constraint for industry development. National research priorities include the development of multi-institutional research programs that contemplate regional necessities and projects to promote works that integrate research institutions and aquafarms.

Perspectives

Brazilian aquaculture has grown significantly during the past years, but there are still several weak elements in the production chain, including extension services, loan policies, environmental legislation, processing, distribution, and commercialization.



Most fish production is for local consumption, but some producers have also started to explore international markets. Photo by R. Vidotti, Tilapia do Brasil Inc.

During the past decade, a great effort was made to introduce responsible practices in Brazilian aquaculture to address the challenge of developing innovative environmentally, socially, and economically well-balanced systems that optimize production efficiency, distribute wealth, and sustain healthy coastal and inland ecosystems. Polyculture, efficient use of wastes from processing, and combining aquaculture with other cultures or ecotourism projects may offer possible solutions.

(Editor's Note: This article was originally published in the May/June 2007 print edition of the Global Aquaculture Advocate.)

Author



PROF. WAGNER C. VALENTI

São Paulo State University Aquaculture Center
Departamento de Biologia Aplicada, FCAV, UNESP
14884-900 Jaboticabal, S.P., Brazil

valenti@caunesp.unesp.br (<mailto:valenti@caunesp.unesp.br>).

Copyright © 2023 Global Seafood Alliance

All rights reserved.